




WMF 9000 F

FULL-FLAVOURED FILTER COFFEE, ON A GRAND SCALE.



Contents

WMF 9000 F

Features & Innovations

Technical Data Overview

Customer Service

Accessory Equipment

WMF PhotoSimu App

Contact Details

WMF 9000 F

FULL-FLAVOURED FILTER COFFEE, ON A GRAND SCALE.

"I need a fully automated coffee machine that can brew large amounts of first-class filter coffee, quickly and with no problems. Quality and quantity go hand in hand in the WMF 9000 F, which for me makes it the perfect partner."

voured filter coffee for a conference brewing process achieves a consistroom full of demanding business peo- ent concentration of high-quality filple, or to ensure there is always fresh ter coffee with a very fast preparation batch for high volumes of hotel guests time. With both versions, the swing-out to serve themselves at breakfast, the pot brewing arm allows you to dispense WMF 9000 F can satisfy your needs, freshly made filter coffee into pots of up rapidly and reliably. Depending on the to 2.8 litres. And all this with maximum version you choose, this slim but power- flexibility and control, thanks to the inful machine can deliver either 500 cups teractive menu on the 10" colour touch of aromatic filter coffee per hour from display, which lets you set both the an integrated storage tank (Internal brewing quantity and the post-brewing Storage model) or 100 litres per hour quantity. In short, the WMF 9000 F is dispensed into external warmers via a the ideal solution for providing full-flaquantity brewing arm (External Stor- voured filter coffee, the way you want age model). During preparation via the it, as fast as you need it.

Whether your goal is to provide full-fla- quantity brewing arm, an optimised



Features & Innovations

FOR WMF CUSTOMERS, THE FUTURE COMES AS STANDARD

Available in two different versions, the WMF 9000 F boasts all the advanced functions required in any situation where high volumes of high-quality filter coffee are demanded, whether in a mass catering or self-service environment.

of the mass catering sector as well as of reliable and profitable service.

The WMF 9000 F automatic filter cof- high-volume, self-service venues. Natfee machine combines high perfor- urally, both versions of this fully automance, excellent coffee quality, and mated filter coffee machine share the user-friendly operation. Each of its two premium materials, advanced technolversions offers a variety of innovative ogy, and robust construction you exfeatures to satisfy the requirements pect from WMF, ensuring many years



WMF 9000 F (External Storage)

- Quantity brewing arm
- 2 ground coffee hoppers
- Hot water spout
- Pot brewing arm

WMF 9000 F (Internal Storage)

- Internal storage
- Coffee spout
- Hot water spout
- Pot brewing arm



Performance

DELIVERING A PREMIUM COFFEE EXPERIENCE



SWING-OUT POT BREWING ARM

During preparation via the pot brewing arm, coffee is dispensed into an external pot or jug. The pot brewing arm is optimized for filling pots of up to 2.8 litres in capacity, and can be extended to fill different pot sizes (up to 175 mm wide, 398 mm tall). Available for both versions.

HIGH-CAPACITY BREWER

The high-capacity brewer combines high volume with easy accessibility. The large brewing chamber, with a capacity of up to 200 grams, does more than simply ensure top performance. Its design also guarantees convenient access to all service parts. Available for both versions.

HOT WATER BOILER

The high-quality hot water boiler in the WMF 9000 F has a capacity of 6.5 litres. It is designed for easy opening by a technician for maintenance. Available for both versions.

WMF 9000 F (External Storage)



QUANTITY BREWING ARM

OUTPUT 100 LITRES PER HOUR

The brewing arm dispenses the coffee in Based on the requirements of mass cabrewing batches of 1 to 5 litres into a tering, this version of the WMF 9000 F heated external thermal container with supplies an additional brewing quantity automatic brewing. In this case, the of up to 100 litres per hour to an exterbrewing quantity can be up to 5 litres, nal container with automatic brewing. depending on the size of the container. This makes it particularly suitable for locations with a high coffee consumption.

WMF 9000 F (Internal Storage)



INTEGRATED STORAGE CONTAINER

Designed for controlled dispensing, the integrated 4-litre storage container lets you set the maximum brewing quantity, choosing from one, two or four litres. You can also determine a maximum storage period, and decide whether post-brewing should begin automatically when the storage container has been emptied.

LARGE GROUND COFFEE **HOPPER**

as an option.

UP TO 500 CUPS PER HOUR

The Internal Storage version of the The WMF 9000 F (Internal Storage) can The large, lockable container holds 2.5 kg WMF 9000 F delivers an output of up to prepare individual brewing batches of of ground coffee as standard, and can be 50 litres (or 500 cups) per hour, ensur- between 1 and 4 litres of aromatic filexpanded to a capacity of up to 3.8 kg ing that filter coffee enthusiasts never ter coffee. have to wait long for their beverages.

BREWING BATCHES 1-4 LITRES

Versatility OUR INNOVATIONS, YOUR WAY



MANUAL INSERT OF **FURTHER COFFEE TYPES**

To offer the benefit of greater choice, up to 180 g of an additional coffee type, such as decaffeinated filter coffee, can be dispensed through the manual insert. Available for both versions.



HOT WATER OUTPUT

A separate spout directly below the display offers high efficiency and user-friendliness thanks to the fast and flexible dispensing of hot water, even if, for example, only a small amount of water is needed for a pot of tea. Available for both versions.

WMF 9000 F (External Storage)

TWO GROUND **COFFEE HOPPERS**

With two 2.5 kg hoppers available, you have the opportunity to offer two different types of ground coffee, for example regular and decaffeinated. But if you choose to use only one type, you can take advantage of twice the capacity - especially useful at peak times.



WMF 9000 F (Internal Storage)



COFFEE DISPENSING OF SINGLE CUPS OR SMALL POTS

A separate coffee spout below the display allows for easy dispensing of small quantities of filter coffee into individual cups or jugs directly from the internal storage container. With this model the hot water output is positioned at the right side of the coffee spout.

Quality

ENGINEERED FOR CONSISTENT PE



DETECTION OF WATER PRESSURE ERRORS

To facilitate the automatic detection of possible water pressure errors, both the water inlet pressure and brewing pressure are monitored by pressure sensors to ensure flawless coffee brewing. Available for both versions.




SMART BREWING FUNCTION

Available when using the pot brewing arm, this intelligent function uses The WMF 9000 F also offers an integratteeing consistently high coffee quality. Available for both versions. Available for both versions.

INTELLIGENT **DIAGNOSTIC TOOLS**

increased contact time between the ed diagnostic tool for quick checking of ground coffee and water to produce a key brewing parameters and fault diaggreater beverage volume from the same nosis. Your WMF service technician is quantity of ground coffee, while guaran- always available to resolve any issues.

WMF 9000 F (Internal Storage)



STORAGE CONTAINER WITH STAINLESS STEEL INTERIOR


The interior of the integrated 4-litre storage container is made of high-quality stainless steel, maximizing both hygiene and the length of time your coffee stays at the perfect temperature.

USER-DEFINED MAXIMUM STORAGE TIME

You can set the maximum storage time before the coffee in the internal storage tank is discarded (up to a maximum of 240 minutes). This ensures your coffee never stands for too long, so every cup will be deliciously fresh.

Usability

ALL THE FUNCTIONS YOU NEED AT YOUR FINGERTIPS



GRANULATE DISPENSER

The WMF 9000 F comes with a builtin granulate dispenser for storing the granulate used in the machine's automated, HACCP-compliant cleaning process. Available for both versions.

TIMER FUNCTIONS

both versions.

GROUNDS DISPOSAL

The WMF 9000 F can be set to turn Used coffee grounds are efficiently disitself on and off, or activate and deac- posed of, following the principle of wet tivate certain functions and beverag- disposal, either directly into the drain es, whenever you want. Available for or in a grounds separator located discreetly under the counter. Available for both versions.



10" COLOUR TOUCH DISPLAY

The interactive 10" colour touch display is designed for easy navigation of the logically structured menu, with large beverage buttons making daily operations fast and simple, and a customizable toolbar for rapid access to preset options. Available for both versions.

LOCKABLE, REMOVABLE HOPPERS

The large ground coffee hoppers on the WMF 9000 F can be locked to ensure their precious contents are stored in total safety, and removed for easy filling and cleaning. Access to the interior of the machine is also protected by the lockable front panel. Available for both versions.

CLEAN LOCK

To ensure maximum user convenience, the interactive colour touch display of the WMF 9000 F can be temporarily switched off or locked to facilitate cleaning without malfunctions. Available for both versions.

EASY AUTOMATIC CLEANING

Taking advantage of a cleaning granulate dispenser, the cleaning processes of this automatic filter coffee machine are automatic, efficient and, above all, HACCP-compliant. Available for both versions.

OPTICAL SIGNALLING

The coloured side panels of the WMF 9000 F are illuminated with LED lighting, which can be adjusted to suit your ambience. Moreover, the panels flash when action is required, for example when it is time for a refill. This simple feature quickly attracts the operator's attention, even from a distance. Available for both versions.

Customisation

TAILOR YOUR COFFEE MACHINE TO YOUR BUSINESS



BRANDING

The WMF 9000 F is ready to adapt to your specific requirements. That includes the option of featuring your own logo on the display screen menus. Available for both versions.

WMF 9000 F (External Storage)

POST-BREWING FUNCTION UP TO 100 LITRES

Designed to meet the special requirements of mass catering, the WMF 9000 F (External Storage) can deliver individual brewing batches of between 1 and 5 litres of aromatic filter coffee. Using the adjustable post-brewing function of the warmer, the post-brewing level can be set to a maximum of 100 litres.



WMF 9000 F (Internal Storage)



IMMEDIATE BREWING

The integrated 4-litre storage container has a handy immediate brewing function that you can use when needed. For example, on arrival of a coach full of customers, an immediate brewing quantity of 1 litre, 2 litres or a maximum of 4 litres can be activated.

SELF-SERVICE OPERATION

ed to self-service operation.

ADVERTISING

Along with the machine's versatile The colour touch display offers you opbrewing and dispensing options, the portunities to increase sales through A compatible vending machine can erages are being prepared, you can take self-service situations. advantage of their time and attention.


VENDING MACHINE CONNECTION

intuitive operating concept makes this eye-catching advertising or tailored spe- easily be connected to the WMF 9000 version of the WMF 9000 F ideally suit- cial offers. So while your customers' bev- F to facilitate customer payments in

WMF PROFESSIONAL COFFEE MACHINES FEATURES & INNOVATIONS

Connectivity

COFFEE EXCELLENCE MEETS DIGITAL SOLUTIONS



WMF COFFEE CONNECT

it to increase turnover by sending advertising and special insights into your coffee business.

WMF CoffeeConnect is our pioneering digital cloud platform. offers directly from your desk to the machine's display. It transforms the potential of your WMF coffee machine and WMF CoffeeConnect offers functions to suit every requireany other connected machines, giving them the ability to ment in the areas of machine management, maintenance provide valuable data and receive instructions remotely. By and operation, and business performance. These functions collecting, analysing and processing information on sales, op- are available in the form of either dashboard monitoring eration, consumption and maintenance, WMF CoffeeConnect or reports. Additionally, our experts can create tailor-made gives you the power to optimize processes and reduce ser- analysis according to your needs, allowing you to take advanvice costs. And that's only the beginning. You can also use tage of sophisticated Business Intelligence to gain in-depth

DATA SECURITY

We know that your data is crucial to your business success. That is why the platform we have developed for WMF CoffeeConnect meets state-ofthe-art infrastructure standards. The service offering is protected against cybercrime by a multi-layered IT architecture. We have also implemented a cutting-edge Identity and Access Management system that supports IoT requirements, providing multi-factor and role-based access to data and systems.





HACCP COMPLIANCE

All WMF professional coffee machines support HACCP-compliant operation with ease. For example, cleaning records are available to download, complete data backups can be performed, and software updates are available via USB stick.

WMF 9000 F


Technical Data Overview

ALL THE FACTS AND FIGURES YOU NEED









	WMF 9000 F (External Storage)	WMF 9000 F (Internal Storage)	
Recommended for an average daily requirement of*	100 l / hour	500 cups or 50 l / hour	
Quantity brewing	√	-	
Pot brewing	√	√	
Integrated storage container	-	√	
Ground coffee hopper	2 * 2.5 kg, expandable to 3.8 kg	1 * 2.5 kg, expandable to 3.8 kg	
Coffee dispensing of single cups	-	√	
Hot water output	√	√	
Self-service operation	-	√	
Coffee grounds disposal	√	√	
Automatic cleaning with granulate dispenser	√	√	
LED illumination	√	√	
Nominal power rating / mains power connection	8.5 - 10.1 kW / 380 - 415 V	8.5 - 10.1 kW / 380 - 415 V or 12.4 - 14.7 kW / 380 - 415 V	
External dimensions (width / height** / depth)	450 / 782 / 605 mm	450 / 782 / 605 mm	
Water supply	Fixed water connection	Fixed water connection	
Empty weight	Approx. 65 kg	Approx. 65 kg	
Continuous sound pressure level (LpA)***	< 70 dB (A)	< 70 dB (A)	

^{*} Output is determined using a machine with fixed water supply and is dependent on cup size, quality settings, spout, model and nominal power rating. The recommended maximum daily capacity is based on our catalogued service concept. However, these average values serve merely as a guideline. Let our trained WMF team match the ideal coffee machine design to your specific needs.

^{**} Height including coffee bean hoppers

^{***} The A-rated sound pressure level LpA (slow) and LpA (impulse) at operating personnel work stations is under 79 dB(A) in any operating mode. Above 5' dKH (carbonate hardness), a WMF water filter must be fitted.

WMF Services

PROVEN EXCELLENCE AROUND THE GLOBE

At WMF, we are committed to your success and therefore offer service solutions that help our customers all over the world to get the best out of their machine.

Whatever the challenge, we provide the solution

As coffee is served in many different environments, our customer base is quite diverse. With almost 100 years of experience, WMF understands the challenges our customers face like nobody else. This wealth of experience is the basis for all our service designs.



Machine Availability

Your ability to serve your



Coffee Quality

Serving your customer a premium

CUSTOMER SATISFACTION | DAY-TO-DAY OPERATIONS



Making sure machine and staff work



Staying compliant with health, safety,

COMMERCIAL SUCCESS



Plannable Follow-up Costs

Avoiding surprises and finding the



Maximising the lifetime

For a long life of reliable performance

WMF coffee machines are a quality product and, together with our services, will perform over a very long lifetime. Truly understanding our customers' needs, we have developed standard service packages and add-ons that can be perfectly combined to satisfy your individual requirements. The fact that we only get one chance to make a first impression inspired the design of our installation services to deliver the right start to your success. Our preventive maintenance will ensure your machine always achieves its optimum performance, while we are by your side when you need us most with our repair services.



WMF 9000 F
ACCESSORY EQUIPMENT

Accessory Equipment

LASTING WARMTH, STRIKING STYLE.

Equipped with an adjustable post-brewing function, WMF heated thermal containers perfectly complement your WMF 9000 F filter coffee machine in terms of both form and function.

The range of heated thermal containers for use with the WMF 9000 F (External Storage) includes an insulated pot with a 2.4-litre capacity, which can be filled from the pot brewing arm, as well as a 20-litre model and a 40-litre model, made of double-walled stainless steel, seamlessly welded, and featuring a no-drip stainless steel tap and an integrated glass gauge with aluminum casing. Each container in the range is engineered to ensure many years of reliable service. They are designed to hold filter coffee at a temperature of around 85°C.







	I	I	I
	THERMAL CONTAINER	HEATED THERMAL CONTAINER	HEATED THERMAL CONTAINER
Post-brewing function	-	√	√
Maximum capacity	2.4 litres	20 litres	40 litres
Material	Stainless steel outside, glass inside	Double-wanded stainless steel, seamlessly welded	Double-wanded stainless steel, seamlessly welded
Integrated gauge glass	√ Plastic casing	√ Aluminium casing	√ Aluminium casing
No-drip tap	√	√ Stainless steel	√ Stainless steel
Holding temperature	-	Approx. 85°C	Approx. 85°C
Additional set of legs	-	√ 150 mm	√ 150 mm
Weight empty / full	3.0 kg / 5.5 kg	11.2 kg / 31.2 kg	19 kg / 59 kg
Available for	WMF 9000 F (External Storage) WMF 9000 F (Internal Storage)	WMF 9000 F (External Storage)	WMF 9000 F (External Storage)

WMF PhotoSimu App

VISUALIZE YOUR WMF COFFEE MACHINE IN YOUR BUSINESS.

Want to know what a WMF professional coffee machine would look like in your own place of business? With the WMF PhotoSimu app, you can use your smartphone or tablet to easily project your chosen product configuration in your own business - exactly as it would appear. Just download the app to get started.

Download the app with the help of the Thanks to our new features, you can QR code, scan then the location where now find full product information at a you want to place your machine and you glance and contact us directly via the are ready to go. Thanks to Augmented app to send us your request. Reality you will see your preferred machine either in a 3D room or in your real iOS environment, photorealistic and true to its actual dimensions and design. The option to add accessories gives you the chance to see the complete solution of coffee machine and equipment in your business – ingeniously easy and intuitive.







Contact Details

GET IN TOUCH TO FIND OUT MORE





WMF GmbH WMF Platz 1

73312 Geislingen/Steige

+49 7331 258 482 PCM@wmf.com www.wmf-coffeemachines.com



WMF Austria

Langer Weg 28 6020 Innsbruck

+43 512 3302 gastro@wmf.at www.wmf-kaffeemaschinen.at



WMF in Switzerland

Allmendweg 8 4528 Zuchwil

+41 32 681 62 00 vertrieb.schweiz@schaerer.com



SEB PROFESSIONAL BeLux BV

Halfstraat 5_18 B-2630 Aartselaar | Belgium

+32 828 11 28 Belgium@seb-professional.com www.wmf-coffeemachines.com/nl_be



SEB PROFESSIONAL Iberia S.A.

Avda. Llano Castellano, 15 28034 Madrid I España

+34 91 3341216 Spain@seb-professional.com www.wmf-coffeemachines.es www.wmf.com



SEB PROFESSIONAL UK Limited

31 Riverside Way UB8 2YF Uxbridge

+44 1895 816100

UK@seb-professional.com www.wmf-coffeemachines.uk.com



SEB PROFESSIONAL France SARL

16-18 rue Dubrunfaut 75012 Paris I France

+33 1 49 80 80 10 France@seb-professional.com www.wmf-coffeemachines.fr



SEB PROFESSIONAL Nederland B.V.

Gyroscoopweg 82-84 1042 AX Amsterdam Showroombezoek op afspraak +31 20 480 80 85

Netherlands@seb-professional.com www.wmf-coffeemachines.com/nl_nl



SEB PROFESSIONAL Japan

13F Hamarikyu Parkside Place 5-6-10 Tsukiji, Chuoku Tokyo, 104-0045

+81 3 3541 1941

Japan@seb-professional.com www.wmf-japan.co.jp



1318 North Sichuan Road, ICP, Unit 1101 Guadalupe 10801 | P.O Box 75-2120 | 200080 Shanghai

+86 21 2601 6308 China@seb-professional.com www.wmf-coffeemachines.com



Goicoechea, San Jose | Costa Rica

+506 7016 9885 LATAM@seb-professional.com www.wmf-coffeemachines.com



SEB PROFESSIONAL (Shanghai) Co., Ltd. SEB PROFESSIONAL LATAM & Caribbean SEB PROFESSIONAL North America

15501 Red Hill Avenue, Suite 200 Tustin, California 92648

+1 888 496 3435

NorthAmerica@seb-professional.com www.wmf-coffeemachines.us.com

WMF GmbH GBU Professional Coffee Machines PCM WMF Platz 1 73312 Geislingen/Steige Germany

Phone: +49 73 31 - 258 482 Fax: +49 73 31 - 258 792 PCM@wmf.com


www.wmf.com

63.8384.0391

All technical changes, typographical mistakes and errors reserved for the entire contents.

in WMF Professional Coffee Machines

Germany 07.2021





DESIGNED TO PERFORM

wmf.com