



PROFESSIONAL
COFFEE MACHINES

NOVELTIES
2018

Content

- 2 **WMF Professional Coffee Machines**
The perfect blend of performance and service since 1927.

- 4 **WMF CoffeeConnect**
Coffee excellence meets digital solutions.

- 6 **WMF 9000 F**
The powerful solution for filtered coffee on a grand scale.

- 12 **WMF 1500 S+**
The new machine to enhance your coffee experience.

- 18 **Center Cooler**
The ideal milk cooling unit for single or dual use.

- 20 **Syrup Station**
The tasteful addition to coffee excellence.

- 22 **Coffee Station 58**
The agile solution for independent coffee making.

- 24 **Contact Details**
How to contact us.

WMF Professional Coffee Machines

The perfect blend of performance and service since 1927.

The roots of WMF Group, a market leader in the field of commercial coffee machines, date back to 1853. What began as the metalware factory Straub & Schweizer in Geislingen an der Steige in Southern Germany is today a symbol of innovation, product and service quality as well as design expertise. The first large-scale production of commercial machinery, which left in 1927 the South German factory, laid the foundation for a unique promise: anyone looking for reliable coffee excellence and technological expertise will find it at WMF.

And so, even after more than 90 years, the quality seal "Made in Germany" underscores the industry leader's aim to always be the customer's first choice. Immerse yourself in a world where every customer experience can be described in just one word: premium.



Part of WMF's mission is to achieve top performance in all areas and to raise the bar over and over again – whether in terms of quality and reliability, customer focus and benefits or functional performance and innovativeness. This thinking is reflected in all our solutions without exception. With WMF, every company can find the ideal machines to fulfil their business ideas and coffee concepts whether fully automatic machines, filter machines or fully automatic portafilter machines. The modular design guarantees that the configuration is precisely aligned with the corresponding application. Innovative operating concepts via touch display make coffee preparation child's simple in serviced and self-service operating sectors.

But that's not all, our solutions are both the driving force for process improvements and increased sales in daily operations, as well as the foundation for new business models, as provided by increasing levels of digitalisation. This means that our development engineers have just one task: to understand and embrace the coffee universes of their customers, and to equip customers for the business opportunities of tomorrow. In addition to top marks in terms of concepts and machines, we are committed every day anew to be the customer's first choice. Our goal for each conversation and every meeting is to work out the best solution for our customers; from a consultation to identify the right machine and digital solutions to all subsequent support services.

WMF CoffeeConnect

Coffee excellence meets digital solutions.



With the innovative WMF CoffeeConnect digital platform, WMF has made another quantum leap towards optimising the coffee business of their customers.

With this new business division, WMF now also offers an option for the efficient and comprehensive central management of professional coffee machines as a service provider. As an integrated database for all product and process data, WMF CoffeeConnect lays the foundation for sustainable business models. Sales figures as well as service information and error messages can be viewed at any

time and from any location. Special promotional offers, for example, can be sent from a central location directly to the display of a selected machine in response. This means that processes related to the management and operation of the coffee machines can be significantly optimised. The purchase of a "WMF CoffeeConnect Inside" coffee machine includes important basic applications directly available as a Freemium package, with additional special applications available as Premium packages.

A team of experts works exclusively on the continuous development of this service and offers expert and individual customer service.



Digital solutions to increase the profitability of your coffee business.




Basic applications included in the Freemium package.



Additional applications, tailor-made for your coffee business, available as Premium packages.




Access and analyse your machine information anytime, anywhere.



Sending of on-demand promotional offers and more, directly on the displays of your coffee machines.



Optimisation of your service and maintenance management.



Learn more about WMF CoffeeConnect at



www.wmf-coffeeconnect.com

WMF 9000 F

The powerful solution for filtered coffee on a grand scale.

The new WMF 9000 F automatic filter coffee machine ensures first-class moments of pleasure for the mass catering sector. Despite its slim dimensions, the powerhouse impresses with an output of up to 100 litres per hour, and the boiler also guarantees that coffee lovers never have to wait long for their beverages. With the option of two different types of coffee and the choice of different brewing batches on the quantity brewing arm or the pot brewing arm, the new WMF 9000 F provides a flexible response to all requirements in every field. For dispensing smaller amounts of hot water, users will find the spout directly below the generous 10-inch touch display.



Highlights

- A Granulate dispenser
- B 10-inch multimedia touch display
- C Hot water dispensing
- D Ground coffee hopper for up to two coffee types
- E Quantity brewing arm
- F Pot brewing arm for pots up to 2.8 litres




WMF 9000 F

The most important features at a glance.

100 litres of the finest filter coffee at the touch of a button

Designed to meet the special requirements of mass catering, the WMF 9000 F fully automatic filter coffee machine does more than just meet cravings for great coffee. Thanks to its intelligent quantity brewing process, it delivers individual brewing batches from 1 to 100 litres of coffee. And all this with maximum convenience, thanks to warmers with automatic post-brewing function.



Automatic cleaning granulate dosing

With the newly developed cleaning granulate dispenser, the entire cleaning process is carried out efficiently and with almost no manual intervention.

Strong brewer, strong performance

The large capacity of the brewing chamber with up to 200 grams does more than simply ensure top performance. A modified design also guarantees convenient access to all service parts.

as decaffeinated and regular ground coffee. If the user only uses one type, however, the fully automatic machine offers twice the capacity, especially at peak times.

Hot water in small quantities

Tea enthusiasts will also get their money's worth with the WMF 9000 F. Positioned directly underneath the front panel, the fully automatic machine offers an individually adjustable hot water dispensing, even for small quantities.

Efficient grounds disposal


Depending on the place of use, the coffee grounds are disposed of following the principle of wet disposal, either directly into the drain or in a grounds separator provided discretely under the counter.

Two coffee types for twice the taste

Individual tastes vary, even with filter coffee. For this reason, the ground coffee portioner offers the opportunity to use two different coffee types – such

Everything always available at a glance

The 10-inch multimedia touch display leaves nothing to be desired in terms of usability. Users navigate completely intuitively through the logically structured menu, with large product buttons making daily operations a breeze. A toolbar also gives access to all important preset customisation options.



Intelligent diagnostic tools

WMF service technicians have everything at their fingertips. Nonetheless, the WMF 9000 F offers an improved diagnostic tool for fast checking of central brewing parameters and troubleshooting.

HACCP-compliant. For high levels of user convenience, the touch display of the quantity brewing unit can be temporarily switched off or locked to facilitate cleaning without malfunctions.

HACCP report always accessible

The reports documenting compliance with the cleaning and documentation requirements of HACCP regulations can be downloaded via USB.

Fully automatic system cleaning

As with all WMF coffee machines, the cleaning processes of the new automatic filter coffee machine are automatic, efficient and, above all,

Safety is important

To ensure that the ground coffee hoppers on the WMF 9000 F safely store their precious goods, they can be locked. The same access protection is provided by the lockable front panel.

Open to everyone

Protection of investment has top priority at WMF. That's why the WMF 9000 F fully automatic filter coffee machine can be used with a wide range of warmers via an adapter.

WMF 9000 F

Coffee enjoyment from small to large:
WMF 9000 F offers brewing batches from 1 to 5 litres.

The brewing process of the WMF 9000 F allows the setting of individual brewing batches from 1 to 5 litres.

Users can choose between coffee preparation via the quantity brewing arm or the pot brewing arm.


A During preparation via the quantity brewing arm, an optimised brewing process achieves a consistent coffee concentration in high quality and with a very fast preparation time.

With a maximum brewing quantity of 40 litres and a post-brewing quantity of up to 100 litres, this brewing process is particularly suitable for establishments with a high coffee requirement.


B During preparation via the pot brewing arm, the coffee flowing out of the brewer is filled directly into a positioned pot of up to 2.8 litres capacity. There is also the option to use the smart brewing process to ensure optimum usage of the coffee grounds by selecting a longer contact time. With this smart variant, consistently high coffee quality is guaranteed at all times.

Both brewing processes: the quantity brewing arm and the pot brewing arm, are included with the machine as standard.

Brewing process for quantity brewing arm



Brewing process for pot brewing arm



Technical Information

Total coffee or hot water output	Approx. 72 (9.4 kW) / 110 (13.5 kW) litres per hour
Nominal output	9.4 oder 13.5 kW
Power supply (depending on the model)	Standard: 3/N/PE~ 50/60Hz 380-415 V
Ground coffee hopper	Approx. 2.5 kg per filling
External dimensions (width / height* / depth)	450 / 782 / 605 mm
Empty weight (depending on the model)	Approx. 65 kg
Continuous sound pressure level (LpA) **	< 70 dB(A)
Water connection	TW15 (DN 15 at least DN 6 resp. 1/4")

* Height with 4 mm feet and with KMP-lid, no lock.

** The A-weighted sound pressure level LpA (slow) and LpA (impulse) in the operating personnel's workplace is always under 70 dB in every mode of operation (A).

Technical changes are reserved.

WMF 1500 S+

The new machine to enhance your coffee experience.

With a 10-inch touch display, the new WMF 1500 S+ speciality machine offers all information at a glance – including nutritional information, promotional offers and usage videos.



Geared towards medium-sized coffee enterprises in a wide range of areas, numerous templates ensure that the fully automatic machine fulfils the needs of all users visually, functionally and linguistically.

The internal values also impress across the board.

The revolutionary Dynamic Coffee Assist permanently guarantees the highest quality of all espresso-based coffee specialities offered by the WMF 1500 S+.

The automatically height-adjustable spout and a new Choc Mixer permit maximum ease of use and convenience.

The WMF CoffeeConnect digital solution allows you to fully leverage sustainable business models to increase the efficiency of your coffee enterprise.



Highlights

- A** Improved hoppers
- B** Choc Mixer
- C** 10-inch touch display
- D** Milk Excellence Sensor
- E** Automatically height-adjustable spout
- F** Dynamic Coffee Assist





10-inch touch display


The clearly structured interactive colour display of the WMF 1500 S+ facilitates custom designs by selecting your own colour scheme and importing your own beverage images and even videos. Navigation with quick access to the main menu is intuitive thanks to touch and swipe functionality.

Toolbar

An individually configurable toolbar on the display offers further intelligent customisation options and provides quick access to special functions.


Individual beverage size

Before each beverage dispensing, the user can determine the individual filling quantity via an easy-to-use touch slider.




Automatically height-adjustable spout

With the coffee spout correctly positioned, the beverage temperature remains perfect and unsightly splashes of milk on the housing are a thing of the past. To achieve this, the spout height of the WMF 1500 S+ automatically adjusts to every preset stored for the recipe. The automatic height adjustment is available as standard with the Dynamic Milk System.




Dynamic Coffee Assist

The revolutionary Dynamic Coffee Assist permanently guarantees the highest quality of all espresso-based coffee specialities offered by the WMF 1500 S+. Once the beverage quality has been set, it is continuously monitored and the most important factors for enjoyment, such as the ground coffee quantity and grinding degree, are automatically adjusted if necessary. This way, brewing time, extraction and value remain consistent and you can be sure to offer your customers consistent coffee quality of the highest level at all times.




Switch valve

A switch valve in the Dynamic Milk version of the WMF 1500 S+ provides the perfect milk foam topping on cappuccino, latte macchiato and more, without any coffee splashes. After all, visual appeal is also critical.




Improved hoppers

For a completely harmonious overall impression, the three bean/powder hoppers on the WMF 1500 S+ have a uniform appearance. In addition to attractive design aspects, the new speciality machine offers the greatest possible choice of coffee varieties: machines equipped with two grinders and powder hoppers also provide the option of using the manual insert for the use of ground coffee.



Milk Excellence Sensor

Hygiene is not the only thing that matters in milk management. Protecting the milk system is also essential for consistently high milk quality. The Milk Excellence Sensor does exactly this job: like the empty sensor in the cooler, it protects the mixer of the Dynamic Milk system. It measures via ultrasonic-technology the flow and the temperature of the milk without contact. Malfunctions due to air bubbles are also detected accurately. If deviating results occur, the system automatically adjusts the settings.



Choc Mixer

The newly developed patented Choc Mixer impresses with its easy handling, cleaning and maintenance. Thanks to the magnetic lock, correct insertion of the mixing cup is guaranteed. An integrated sensor also monitors the perfect fit of the mixer wheel.



325 mm



590 mm



706 mm

Technical Information

Recommended daily / max. hourly output*	Up to 180 cups
Nominal output / Power supply	2.75 - 3.25 kW / 220 - 240 V
Coffee bean hopper	Right and left approx. 1100 g, centered approx. 550 g
Choc or topping hopper (optional)	Approx. 1500 g
External dimensions (width / height** / depth)	325 / 706 / 590 mm
Water supply	Water tank (approx. 4.5 l) or fixed water supply
Empty weight (depending on configuration)	Approx. 37 kg
Continuous sound pressure level (LpA)***	< 70 dB(A)

* Performance was recorded using a machine with fixed water supply and is dependent on cup size, quality settings, spout, model and nominal power rating. The basis for the recommended max. daily capacity is the respective selected service concept. These average values are provided as a guide. Let our trained WMF personnel put together a customised coffee machine solution for you.

** Height with bean hopper with lock, no lock.

*** The A-weighted sound pressure level LpA (slow) and LpA (impulse) in the operating personnel's workplace is always under 70 dB(A) in every mode of operation.

From 5° dKH (carbonate hardness), a WMF water filter must be fitted.

Technical changes are reserved.

Center Cooler

The ideal milk cooling unit for single or dual use.

The new WMF Center Cooler is an indispensable companion in modern milk management.

Equipped with a container for up to 10.5 litres of milk, this all-rounder supplies two fully automatic coffee machines at the same time. This is healthy for the investment budget and also saves space on the counter. Thanks to integrated monitoring functions for temperature fluctuations and fill levels, the Center Cooler makes everyday operations noticeably easier.

The sensor system functions without interruption even if one of the two machines are switched off. Thanks to the new generation design that is perfectly coordinated with the WMF coffee machines, the Center Cooler and Syrup Station are the perfect pair, giving "coffee hubs" an appealingly stylish look.



The Center Cooler uses the environmentally friendly coolant "R600a".



Direct attachment to the coffee machine ensures perfect milk hose routing.



Technical Information

Capacity	10.5 litres
External dimensions (width / height / depth)	261 / 530.5 / 469 mm
Milk hose routing	At the right and left side possible
Sensors	Empty message and temperature monitoring
Coolant	R600a
Empty weight	Approx. 16 kg
Lockable	Yes
Removable seal	Yes
Versions	Standard: 220-240 V with lock, cable for Europe, milk box, milk box cover, flexible holes on the right and left side Version for USA/Japan: 115 V with lock, fixed cable for USA, inner part for 2 gallons, flexible holes on the right and left side
Power supply	220-240 V, 50/60 Hz (Europe and Australia) 220-230 V, 50/60 Hz (China) 120 V, 60 Hz (USA and Japan)
Applicability	WMF 9000 S+ / WMF 8000 S / WMF 5000 S / WMF 1500 S+ / WMF 1500 S


Technical changes are reserved.
Coffee machines are not included.

Syrup Station

The tasteful addition to coffee excellence.

The new WMF Syrup Station ensures an exceptional taste experience for every beverage menu. Thanks to direct connection to a compatible WMF coffee machine, these coffee mix specialities can be saved as standard drinks on the coffee machine display in just a few simple steps, with over 20 different standard icons available. There are no limits to creativity here with the variation of up to four types of syrups, fruit purées or spirits in three different dosing quantities, users can release their individual recipe ideas without restrictions.

Thanks to the new generation design that is perfectly coordinated with the WMF coffee machines, the Center Cooler and Syrup Station are the perfect pair, giving "coffee hubs" an appealingly stylish look.



Each type of syrup conveyed in a separate set of hoses to preserve taste purity.



Cleaning is extremely user-friendly with full guidance on the display.



Technical Information

Bottle capacity	1 - 4
External dimensions (width / height / depth)	261 / 530.5 / 469 mm
Empty weight	Approx. 16 kg
Lockable	Yes
Removable seal	Yes
Applicability	WMF 9000 S+ / WMF 1500 S+

Technical changes are reserved.
Coffee machine is not included.

Coffee Station 58

The agile solution for independent coffee making.



Found the perfect machine but there's no room in the conference room, kitchen or office? Coffee Station 58 from WMF provides a very clever solution. With a compact table width of 58 centimetres, an optional technical group and integrated grounds container, the stationary furniture unit offers sufficient space for the coffee machine plus add-on equipment. Operating independent from the water feed and drain, users can position the station anywhere in the room. Cups, cutlery and accessories can also be easily and safely stowed in the coffee station thanks to the incorporated shelf.



Optional expansion via integrated stainless steel grounds container.



Optional expansion via tank system for fresh water and waste water.



Technical Information

External dimensions (width / height / depth)	580 / 900 / 600 mm
1 inlaid floor	All 32 mm holes available to move the inlaid floor
Table and base plate with a cable passage	Ø 80 mm
2 double swivel castors	Ø 50 mm
2 double swivel castors with lock	Ø 50 mm
Load capacity	Max. 150 kg
Empty weight	Approx. 33 kg
Colour	Anthracite

Technical changes are reserved.

Coffee machine and add-on equipment are not included.


Contact Details

How to contact us.



<p>A</p> <p>WMF Group GmbH Eberhardstrasse 35 73312 Geislingen/Steige</p> <p>+49 73 31 257 257 kundencenter@wmf.de www.wmf-kaffeemaschinen.de</p>	<p>B</p> <p>WMF Austria Etrichgasse 13 6020 Innsbruck</p> <p>+43 512 3302 gastro@wmf.at www.wmf-kaffeemaschinen.at</p>	<p>C</p> <p>WMF in Switzerland Allmendweg 8 4528 Zuchwil</p> <p>+41 32 681 62 00 vertrieb.schweiz@schaerer.com</p>
---	--	--

<p>D</p> <p>WMF België bvba Boomsesteenweg 608 2610 Wilrijk</p> <p>+32 2 478 4876 stijn.lorre@wmf.be www.wmf-coffeemachines.com/nl_be</p>	<p>E</p> <p>WMF France SARL 13-15 Rue Claude Nicolas Ledoux 94000 Créteil</p> <p>+33 1 49 80 80 10 service.commercial@wmf.fr www.wmf-coffeemachines.fr</p>	<p>F</p> <p>WMF China 1318 Sichuan Bei Lu, ICP, Unit 908 200080 Shanghai</p> <p>+8621 2601 6396 coffeemachine@wmf-ap.com www.wmf-pcm.cn</p>
<p>G</p> <p>WMF Española S.A. Avda. Llano Castellano, 15 28034 Madrid</p> <p>+34 91 3341215 maquinasdecafe@wmf.es www.wmf-coffeemachines.es</p>	<p>H</p> <p>WMF Nederland B.V. Gyroscoopweg 82-84 1042 AX Amsterdam</p> <p>+32 20 480 80 85 info@wmf.nl www.wmf-coffeemachines.nl</p>	<p>I</p> <p>WMF Latin America Prime Time Tower, Piso 6 / Oficina 6A, Ave. La Rotonda Costa del Este, Ciudad de Panama</p> <p>+41795158903 christoph.oliver@wmf.de www.wmf-coffeemachines.com</p>
<p>J</p> <p>WMF United Kingdom Ltd. 31 Riverside Way UB8 2YF Uxbridge</p> <p>+44 1895 816100 sales@wmf.uk.com www.wmf-coffeemachines.uk.com</p>	<p>K</p> <p>WMF Japan Corporation K.K. 23-5 Nishishinbashi 3 - Chome 105 0003 Tokyo</p> <p>+81 3 54083302 info@wmf-japan.co.jp www.wmf-japan.co.jp</p>	<p>L</p> <p>WMF Americas Inc. 275 Bryan Road Dania Beach, Florida 33004</p> <p>+1 888 496 3435 coffee@wmfnorthamerica.com www.wmf-coffeemachines.us.com</p>



**PROFESSIONAL
COFFEE MACHINES**

**MADE IN GERMANY
SINCE 1927**



WMF Group GmbH
Professional Coffee Machines PCM
Eberhardstrasse 35
73312 Geislingen/Steige
Germany
Phone: +49 73 31 - 258 482
Fax: +49 73 31 - 258 792
professional-coffeemachines@wmf-group.com
www.wmf-coffeemachines.com

3353 # 63.8379.0391

All technical changes, typographical mistakes and errors reserved for the entire contents.

