

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 453/2010

Revision date: 24/3/2014 Version: 6 Language: en-GB,IE

Date of print: 27/11/2014

WMF-M250

Material number 0250 Page: 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: WMF-M250

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Cleaning agent

1.3 Details of the supplier of the safety data sheet

Company name: IBEDA-CHEMIE Klaus P. Christ GmbH

Street/POB-No.: Am Eichelgärtchen 32
Postal Code, city: 56283 Halsenbach

Germany

E-mail: info@ibeda-chemie.com
Telephone: +49 (0)6747-9501-0
Telefax: +49 (0)6747-9501-11

Dept. responsible for information:

Herr Dohmann, Telephone: +49 (0)6747-9501-16

1.4 Emergency telephone number

Beratungsstelle bei Vergiftung, Telephone: +49 (0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Eye Dam. 1; H318 Causes serious eye damage.

Classification according to Directive 67/548/EEC or 1999/45/EC

This preparation is classified as not hazardous.

2.2 Label elements

Labelling (CLP)



Signal word: Danger

Hazard statements: H318 Causes serious eye damage.

Precautionary statements:

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No $453/2010\,$

Revision date: 24/3/2014 Version: 6 Language: en-GB,IE Date of print: 27/11/2014

WMF-M250

Material number 0250 Page: 2 of 8

Labelling (67/548/EEC or 1999/45/EC)

R phrase(s): not applicable

S phrase(s): S 2 Keep out of the reach of children.

S 46 If swallowed, seek medical advice immediately and show this container or

label.

Special labelling

Text for labelling: Contains < 5% cationic surfactants, < 5% phosphates.

Contains CAS 68424-85-1: Quaternary ammonium compounds,

benzyl-C12-16-alkyldimethyl, chlorides = 4.13 g/kg

Registration number according to "Biozid-Meldeverordnung": N-41647

Use biocides safely. Always read the label and product information before use.

2.3 Other hazards

Contains phosphates: May contribute to the eutrophication of water supplies.

SECTION 3: Composition / information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Mixture of the following listed substances with safe additions

Hazardous ingredients:

Ingredient	Designation	Content	Classification
EC No. 201-196-2 CAS 79-33-4	Lactic acid	< 5 %	EU: Xi; R41. Xi; R38. CLP: Skin Irrit. 2; H315. Eye Dam. 1; H318.
EC No. 270-325-2 CAS 68424-85-1	Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides	< 1 %	EU: Xn; R22. C; R34. N; R50. CLP: Acute Tox. 4; H302. Skin Corr. 1B; H314. Aquatic Acute 1; H400.

Additional information: Labelling for contents according to regulation (EC) No 648/2004, annex 7:

Contains < 5% cationic surfactants, < 5% phosphates

Labelling of components and their concentrations in accordance with Directive 98/8/EC,

article 20:

CAS 68424-85-1: Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl,

chlorides = 4.13 g/kg

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: If you feel unwell, seek medical advice.

In case of inhalation: Provide fresh air. Seek medical treatment in case of troubles.

In case of skin contact: Remove contaminated clothing. Wash affected skin with generous amount of water.

Soda solution (5-10%) can be used for removal of residues. In case of skin irritation,

consult a physician.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 453/2010

Revision date: 24/3/2014 Version: 6 Language: en-GB,IE Date of print: 27/11/2014

WMF-M250

Material number 0250 Page: 3 of 8

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses. Subsequently seek the immediate attention of an

ophthalmologist.

After swallowing: Rinse mouth with water. Drink large quantities of water.

Never give an unconscious person anything through the mouth.

Do not induce vomiting. Consult physician.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Alcohol is strongly contraindicated.

Contains bactericide.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Nitrogen oxides (NOx), phosphorus compounds, hydrochloric acid, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Hazchem-Code: -

Cool endangered containers with water spray and, if possible, remove from danger zone. Use water spray jet to knock down vapours. Do not breathe fumes. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing. Do not breathe vapour/aerosol. In case of accident or if you feel unwell, seek medical advice immediately. Provide adequate ventilation.

In case of handling larger quantities: Wear protective equipment. Keep away from unprotected people.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceus earth, acid- or universal binder.

Store in special closed containers and dispose of according to ordinance.

Final cleaning: Wash spill area with plenty of water.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 453/2010

Revision date: 24/3/2014 Version: 6 Language: en-GB,IE

Date of print: 27/11/2014

WMF-M250

Material number 0250 Page: 4 of 8

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Whenever possible use closed equipment with this product.

Provide adequate ventilation, and local exhaust as needed.

Keep your workplace clean.

Avoid contact with skin, eyes, and clothing. Do not breathe vapour/aerosol.

When using do not eat, drink or smoke.

In case of handling larger quantities: Wear protective equipment. Keep away from

unprotected people.

Precautions against fire and explosion:

Usual measures for fire prevention.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed in a cool, well-ventilated place.

Protect against heat, sun rays and frost.

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

Storage class: 12 = Non-combustible liquids

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection: Provide adequate ventilation.

Hand protection: Protective gloves according to EN 374.

Glove material: Nitrile rubber - NBR Breakthrough time: > 480 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No $453/2010\,$

Revision date: 24/3/2014 Version: 6 Language: en-GB,IE Date of print: 27/11/2014

WMF-M250

Material number 0250 Page: 5 of 8

General protection and hygiene measures:

Avoid contact with skin, eyes, and clothing. Take off immediately all contaminated clothing. Avoid formation of aerosols/vapours. Do not breathe vapour/aerosol.

Have eye wash bottle or eye rinse ready at work place.

When using do not eat, drink or smoke. Wash hands before breaks and after work.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Form: liquid

Colour: light blue

Odour: characteristic
Odour threshold: no data available

pH value: acidic

Melting point/freezing point: no data available

Initial boiling point and boiling range: > 100 °C

Flash point/flash point range:

Evaporation rate:

no data available
no data available
rlammability:

no data available
explosive properties:

no data available
explosion limits:

no data available

Vapour pressure: at 20 °C: (Water) 20 hPa

Vapour density: no data available
Density: approx. 1.02 g/mL

Water solubility: miscible

Partition coefficient: n-octanol/water: no data available

Auto-ignition temperature: no data available

Thermal decomposition: > 100 °C

Viscosity, dynamic: no data available

Explosive properties: no data available

Oxidizing characteristics: no data available

9.2 Other information

Additional information: no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

B E D A Chemie

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No $453/2010\,$

Revision date: 24/3/2014 Version: 6 Language: en-GB,IE Date of print: 27/11/2014

WMF-M250

Material number 0250 Page: 6 of 8

10.4 Conditions to avoid

Excessive heating. Avoid formation of aerosols/vapours. Protect against heat, sun rays and frost.

10.5 Incompatible materials

Strong acids, alkalis

10.6 Hazardous decomposition products

In case of fire may be liberated: Nitrogen oxides (NOx), phosphorus compounds,

hydrochloric acid, carbon monoxide and carbon dioxide.

Thermal decomposition: > 100 °C

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects: Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Lack of data.

Eye damage/irritation: Eye Dam. 1; H318 = Causes serious eye damage.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Symptoms

In case of ingestion:

Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal

tract.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Contains phosphates: May contribute to the eutrophication of water supplies.

12.2. Persistence and degradability

Further details: no data available

Effects in sewage plants: Do not bring higher quantities to clarification plants.

B = D A Chemie

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No $453/2010\,$

Revision date: 24/3/2014 Version: 6 Language: en-GB,IE Date of print: 27/11/2014

WMF-M250

Material number 0250 Page: 7 of 8

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 20 01 29* = municipal wastes: Detergents containing dangerous substances

* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Smaller amounts: Dilute with plenty of water.

Contaminated packaging

Waste key number: 15 01 02 = Plastic packaging.

Recommendation: Rinse with water. Wrap waste as is appropriate for the type of material.

Single packs can be disposed of together with household waste.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA: not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA: Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA: not applicable

14.4 Packing group

ADR/RID, IMDG, IATA: not applicable

14.5 Environmental hazards

Marine pollutant: No

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

B E D A Chemie

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No $453/2010\,$

Revision date: 24/3/2014 Version: 6 Language: en-GB,IE Date of print: 27/11/2014

WMF-M250

Material number 0250 Page: 8 of 8

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code: -

National regulations - EC member states

Further regulations, limitations and legal requirements:

Registration number according to "Biozid-Meldeverordnung": N-41647

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.

H314 = Causes severe skin burns and eye damage.

H315 = Causes skin irritation.

H318 = Causes serious eye damage.

H400 = Very toxic to aquatic life.

Wording of the R-phrases under section 2 and 3:

R 22 = Harmful if swallowed.

R 34 = Causes burns.

R 38 = Irritating to skin.

R 41 = Risk of serious damage to eyes. R 50 = Very toxic to aquatic organisms.

Reason of change: General revision

Date of first version: 28/6/2007

Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.